

## Subject Index of Volume 146

- Ab initio molecular orbital calculations  
 Ab initio molecular orbital study of the complexing behavior of *N*-ethyl-1-naphthalenecarboxamide as fluorescent chemosensors for alkali and alkaline earth metal ions, 163
- Acid solutions  
 Photoreduction of the uranyl ion in aqueous solution. II. Alcohols in acid solutions, 157
- Acid–base behaviour  
 Triplet state studies of  $\beta$ -carboline, 29
- Acrolein  
 Chemical reactivity of vinyltrimethoxysilane in aerosol particle formation with acrolein under two-photon excitation, 141
- Advanced oxidation  
 Photocatalytic degradation of 4-nitrophenol in aqueous  $\text{TiO}_2$  suspensions: Theoretical prediction of the intermediates, 189
- Aequorin  
 Fluorescence properties of phenolate anions of coelenteramide analogues: the light-emitter structure in aequorin bioluminescence, 95
- Aerosol particle formation  
 Chemical reactivity of vinyltrimethoxysilane in aerosol particle formation with acrolein under two-photon excitation, 141
- Alcohols  
 Photoreduction of the uranyl ion in aqueous solution. II. Alcohols in acid solutions, 157
- $\gamma$ -Alumina  
 Synthesis of  $\text{TiO}_2$  photocatalyst thin film by solvothermal method with a small amount of water and its photocatalytic performance, 121
- Benzoxazole  
 New highly fluorescent amino-acid derivatives. Substituted 3-[2-(phenyl)benzoxazol-5-yl]-alanines: synthesis and photophysical properties, 9
- 3-(Benzoxazol-5-yl)alanine derivatives  
 New highly fluorescent amino-acid derivatives. Substituted 3-[2-(phenyl)benzoxazol-5-yl]-alanines: synthesis and photophysical properties, 9
- Biacetyl  
 The UV–VIS absorption cross sections of the  $\alpha$ -dicarbonyl compounds: pyruvic acid, biacetyl and glyoxal, 19
- Bioluminescence  
 Fluorescence properties of phenolate anions of coelenteramide analogues: the light-emitter structure in aequorin bioluminescence, 95
- Capacitance measurements  
 Photoelectrochemical characterization of nanocrystalline  $\text{TiO}_2$  films on titanium substrates, 175
- $\beta$ -Carbolines  
 Triplet state studies of  $\beta$ -carboline, 29
- Cerium complexes  
 Excited state behavior of tetrakis(2,2,6,6-tetramethyl-3,5-heptanedionato)cerium(IV). Emission and photoredox reaction from ligand-to-metal charge transfer states, 63
- Charge transfer  
 Excited state behavior of tetrakis(2,2,6,6-tetramethyl-3,5-heptanedionato)cerium(IV). Emission and photoredox reaction from ligand-to-metal charge transfer states, 63
- $\text{CHCl}_3$  decomposition  
 Synthesis of  $\text{TiO}_2$  photocatalyst thin film by solvothermal method with a small amount of water and its photocatalytic performance, 121
- 4-Chlorophenol  
 Comparison of methods for the photochemical degradation of chlorophenols, 149
- Coelenteramide  
 Fluorescence properties of phenolate anions of coelenteramide analogues: the light-emitter structure in aequorin bioluminescence, 95
- Combined 2,2,6,6-tetramethylpiperidine–2-hydroxybenzophenone 1,3,5-triazine derivatives  
 Synthesis and application of new combined 2,2,6,6-tetramethylpiperidine–2-hydroxybenzophenone 1,3,5-triazine derivatives as photostabilizers for polymer materials, 199
- Contact angle  
 Effect of repeated photo-illumination on the wettability conversion of titanium dioxide, 129
- Cyclic voltammetry  
 Photoelectrochemical characterization of nanocrystalline  $\text{TiO}_2$  films on titanium substrates, 175
- Cyclopentadienylidenemethanone  
 Photoreaction mechanisms of 2-chlorophenol and its multiple chloro-substituted derivatives studied by low-temperature matrix-isolation infrared spectroscopy and density-functional-theory calculations, 49
- Cyclopropane  
 The photochemistry of an 1,1-dicyano-3-oxa-1-alkene and of its 3-aza analogue, 137
- DFT calculation  
 Photoreaction mechanisms of 2-chlorophenol and its multiple chloro-substituted derivatives studied by low-temperature matrix-isolation infrared spectroscopy and density-functional-theory calculations, 49
- 2,4-Dichlorophenol  
 Comparison of methods for the photochemical degradation of chlorophenols, 149
- Electron transfer  
 Photoproduction of hydroxyl radicals from Fe(III)-hydroxy complex: a quantitative assessment, 67
- Electronic spectra  
 Excited state behavior of tetrakis(2,2,6,6-tetramethyl-3,5-heptanedionato)cerium(IV). Emission and photoredox reaction from ligand-to-metal charge transfer states, 63
- $\text{Fe}(\text{OH})^{2+}$   
 Photoproduction of hydroxyl radicals from Fe(III)-hydroxy complex: a quantitative assessment, 67



## Fluorescence

New highly fluorescent amino-acid derivatives. Substituted 3-[2-(phenyl)benzoxazol-5-yl]-alanines: synthesis and photophysical properties, 9

Substituent and solvent effects on the photophysical properties of 3-azafluorenone derivatives, 59

Photochemistry of photochromic 2-indolylfulgides with substituents at the 1'-position of the indolylmethylene moiety, 83

Fluorescence properties of phenolate anions of coelenteramide analogues: the light-emitter structure in aequorin bioluminescence, 95

## Fluorescent chemosensors

Ab initio molecular orbital study of the complexing behavior of *N*-ethyl-1-naphthalenecarboxamide as fluorescent chemosensors for alkali and alkaline earth metal ions, 163

## Fulgides

Photochemistry of photochromic 2-indolylfulgides with substituents at the 1'-position of the indolylmethylene moiety, 83

Photochromic properties of a vacuum-deposited film of (*E*)-dicyclopropylmethylene-(2,5-dimethyl-3-furylethylidene)-succinic anhydride, 133

## Glyoxal

The UV-VIS absorption cross sections of the  $\alpha$ -dicarbonyl compounds: pyruvic acid, biacetyl and glyoxal, 19

## Hydrogen-bonded complex

Fluorescence properties of phenolate anions of coelenteramide analogues: the light-emitter structure in aequorin bioluminescence, 95

## Hydroxyl radical

Photoproduction of hydroxyl radicals from Fe(III)-hydroxy complex: a quantitative assessment, 67

## Induced phototransformation

Photochemical behaviour of 4-chloro-2-methylphenoxyacetic acid. Influence of pH and irradiation wavelength, 37

## Infrared multiphoton dissociation

Laser induced fluorescence detection of CF, CF<sub>2</sub> and CF<sub>3</sub> in the infrared multiphoton dissociation of C<sub>3</sub>F<sub>6</sub>, 1

## Internal conversion

Substituent and solvent effects on the photophysical properties of 3-azafluorenone derivatives, 59

## Intersystem crossing

Substituent and solvent effects on the photophysical properties of 3-azafluorenone derivatives, 59

## Intramolecular charge transfer

Fluorescence properties of phenolate anions of coelenteramide analogues: the light-emitter structure in aequorin bioluminescence, 95

## Intramolecular quenching

The photochemistry of an 1,1-dicyano-3-oxa-1-alkene and of its 3-aza analogue, 137

## Laser induced fluorescence technique

Laser induced fluorescence detection of CF, CF<sub>2</sub> and CF<sub>3</sub> in the infrared multiphoton dissociation of C<sub>3</sub>F<sub>6</sub>, 1

## Low temperature

Thermal reactions of spironaphthooxazine dispersed in polystyrene film at low temperatures, 169

## Luminescence

Excited state behavior of tetrakis(2,2,6,6-tetramethyl-3,5-heptanedionato)cerium(IV). Emission and photoredox reaction from ligand-to-metal charge transfer states, 63

## Matrix isolation

Photoreaction mechanisms of 2-chlorophenol and its multiple chloro-substituted derivatives studied by low-temperature matrix-isolation infrared spectroscopy and density-functional-theory calculations, 49

## MCPA

Photochemical behaviour of 4-chloro-2-methylphenoxyacetic acid. Influence of pH and irradiation wavelength, 37

## Metal ion recognition

Ab initio molecular orbital study of the complexing behavior of *N*-ethyl-1-naphthalenecarboxamide as fluorescent chemosensors for alkali and alkaline earth metal ions, 163

## Naphthalene

Ab initio molecular orbital study of the complexing behavior of *N*-ethyl-1-naphthalenecarboxamide as fluorescent chemosensors for alkali and alkaline earth metal ions, 163

## 4-Nitrophenol

Photocatalytic degradation of 4-nitrophenol in aqueous TiO<sub>2</sub> suspensions: Theoretical prediction of the intermediates, 189

## Organic radical

Photoproduction of hydroxyl radicals from Fe(III)-hydroxy complex: a quantitative assessment, 67

## 2-Oxocyclohexa-3,5-dienylidene

Photoreaction mechanisms of 2-chlorophenol and its multiple chloro-substituted derivatives studied by low-temperature matrix-isolation infrared spectroscopy and density-functional-theory calculations, 49

## Phase transfer catalysis

Synthesis and application of new combined 2,2,6,6-tetramethylpiperidine-2-hydroxybenzophenone 1,3,5-triazine derivatives as photostabilizers for polymer materials, 199

## Phenolate anion

Fluorescence properties of phenolate anions of coelenteramide analogues: the light-emitter structure in aequorin bioluminescence, 95

## Phosphorescence

Triplet state studies of  $\beta$ -carboline, 29

## Photocatalysis

Photochemical behaviour of 4-chloro-2-methylphenoxyacetic acid. Influence of pH and irradiation wavelength, 37

## Photocatalyst

Synthesis of TiO<sub>2</sub> photocatalyst thin film by solvothermal method with a small amount of water and its photocatalytic performance, 121

## Photo-catalyst

Effect of repeated photo-illumination on the wettability conversion of titanium dioxide, 129

## Photocatalytic degradation

Photocatalytic degradation of 4-nitrophenol in aqueous TiO<sub>2</sub> suspensions: Theoretical prediction of the intermediates, 189

## Photochemical

Photoproduction of hydroxyl radicals from Fe(III)-hydroxy complex: a quantitative assessment, 67

## Photochemical reaction

Comparison of methods for the photochemical degradation of chlorophenols, 149

## Photochromic

Photochromic properties of a vacuum-deposited film of (*E*)-dicyclopropylmethylene-(2,5-dimethyl-3-furylethylidene)-succinic anhydride, 133

## Photochromism

Photochemistry of photochromic 2-indolylfulgides with substituents at the 1'-position of the indolylmethylene moiety, 83

Photochromic properties of a vacuum-deposited film of (*E*)-dicyclopropylmethylene-(2,5-dimethyl-3-furylethylidene)-succinic anhydride, 133

## Photocurrent

Enhanced photocurrent generation and photooxidation of benzene sulfonate in a continuous flow reactor using hybrid TiO<sub>2</sub> thin films immobilized on OTE electrodes, 109

## Photodecomposition

The influence of polychromatic UV-irradiation on new thiophene copolymers, 207



## Photodegradation

Enhanced photocurrent generation and photooxidation of benzene sulfonate in a continuous flow reactor using hybrid TiO<sub>2</sub> thin films immobilized on OTE electrodes, 109

Synthesis and application of new combined 2,2,6,6-tetramethylpiperidine-2-hydroxybenzophenone 1,3,5-triazine derivatives as photostabilizers for polymer materials, 199

The influence of polychromatic UV-irradiation on new thiophene copolymers, 207

## Photo-emission

Photoreduction of the uranyl ion in aqueous solution. II. Alcohols in acid solutions, 157

## Photoisomerization

The photochemistry of an 1,1-dicyano-3-oxa-1-alkene and of its 3-aza analogue, 137

## Photolysis

Photochemical behaviour of 4-chloro-2-methylphenoxyacetic acid. Influence of pH and irradiation wavelength, 37

## Photomerocyanine

Thermal reactions of spironaphthooxazine dispersed in polystyrene film at low temperatures, 169

## Photooxidation

Enhanced photocurrent generation and photooxidation of benzene sulfonate in a continuous flow reactor using hybrid TiO<sub>2</sub> thin films immobilized on OTE electrodes, 109

The influence of polychromatic UV-irradiation on new thiophene copolymers, 207

## Photoreaction of chloro-substituted phenols

Photoreaction mechanisms of 2-chlorophenol and its multiple chloro-substituted derivatives studied by low-temperature matrix-isolation infrared spectroscopy and density-functional-theory calculations, 49

## Photorearrangement

Photochemical behaviour of 4-chloro-2-methylphenoxyacetic acid. Influence of pH and irradiation wavelength, 37

## Photoreduction

Photoreduction of the uranyl ion in aqueous solution. II. Alcohols in acid solutions, 157

## Photostability

Synthesis and application of new combined 2,2,6,6-tetramethylpiperidine-2-hydroxybenzophenone 1,3,5-triazine derivatives as photostabilizers for polymer materials, 199

## Polymerizable photostabilizers

Synthesis and application of new combined 2,2,6,6-tetramethylpiperidine-2-hydroxybenzophenone 1,3,5-triazine derivatives as photostabilizers for polymer materials, 199

## Psoralens

Photophysical properties of two new psoralen analogs, 75

## Pyruvic acid

The UV-VIS absorption cross sections of the  $\alpha$ -dicarbonyl compounds: pyruvic acid, biacetyl and glyoxal, 19

## Quantum efficiency

Photophysical properties of two new psoralen analogs, 75

## Quantum yield

Photoproduction of hydroxyl radicals from Fe(III)-hydroxy complex: a quantitative assessment, 67

Photochemistry of photochromic 2-indolylfulgides with substituents at the 1'-position of the indolylmethylene moiety, 83

## Quenching

Photoreduction of the uranyl ion in aqueous solution. II. Alcohols in acid solutions, 157

## Radiation chemical

Photoproduction of hydroxyl radicals from Fe(III)-hydroxy complex: a quantitative assessment, 67

## Semiconductor electrode

Enhanced photocurrent generation and photooxidation of benzene sulfonate in a continuous flow reactor using hybrid TiO<sub>2</sub> thin films immobilized on OTE electrodes, 109

## Semiconductor photocatalysis

Photocatalytic degradation of 4-nitrophenol in aqueous TiO<sub>2</sub> suspensions: Theoretical prediction of the intermediates, 189

## 1,2-Shift

The photochemistry of an 1,1-dicyano-3-oxa-1-alkene and of its 3-aza analogue, 137

## Singlet oxygen

Photophysical properties of two new psoralen analogs, 75

## Solvent effect

Fluorescence properties of phenolate anions of coelenteramide analogues: the light-emitter structure in aequorin bioluminescence, 95

## Solvothermal method

Synthesis of TiO<sub>2</sub> photocatalyst thin film by solvothermal method with a small amount of water and its photocatalytic performance, 121

## Spirooxazine

Thermal reactions of spironaphthooxazine dispersed in polystyrene film at low temperatures, 169

## Sub-bandgap absorption

Photoelectrochemical characterization of nanocrystalline TiO<sub>2</sub> films on titanium substrates, 175

## Substituent effect

Photochemistry of photochromic 2-indolylfulgides with substituents at the 1'-position of the indolylmethylene moiety, 83

## Thermal bleaching

Thermal reactions of spironaphthooxazine dispersed in polystyrene film at low temperatures, 169

## Thermal evaporation

Photochromic properties of a vacuum-deposited film of (*E*)-dicyclopropylmethylene-(2,5-dimethyl-3-furylthyldiene)-succinic anhydride, 133

## Thermal oxide

Photoelectrochemical characterization of nanocrystalline TiO<sub>2</sub> films on titanium substrates, 175

## Thin film

Synthesis of TiO<sub>2</sub> photocatalyst thin film by solvothermal method with a small amount of water and its photocatalytic performance, 121

Photochromic properties of a vacuum-deposited film of (*E*)-dicyclopropylmethylene-(2,5-dimethyl-3-furylthyldiene)-succinic anhydride, 133

## Thiophene copolymers

The influence of polychromatic UV-irradiation on new thiophene copolymers, 207

TiO<sub>2</sub>

Synthesis of TiO<sub>2</sub> photocatalyst thin film by solvothermal method with a small amount of water and its photocatalytic performance, 121

Comparison of methods for the photochemical degradation of chlorophenols, 149

TiO<sub>2</sub> nanocrystalline

Photoelectrochemical characterization of nanocrystalline TiO<sub>2</sub> films on titanium substrates, 175

## Titanium dioxide

Enhanced photocurrent generation and photooxidation of benzene sulfonate in a continuous flow reactor using hybrid TiO<sub>2</sub> thin films immobilized on OTE electrodes, 109

Effect of repeated photo-illumination on the wettability conversion of titanium dioxide, 129

Photocatalytic degradation of 4-nitrophenol in aqueous TiO<sub>2</sub> suspensions: Theoretical prediction of the intermediates, 189

## Toxicity

- Photochemical behaviour of 4-chloro-2-methylphenoxyacetic acid.  
Influence of pH and irradiation wavelength, 37

## 2,4,6-Trichlorophenol

- Comparison of methods for the photochemical degradation of chlorophenols, 149

## Triplet yield

- Substituent and solvent effects on the photophysical properties of 3-azafluorenone derivatives, 59

## Triplet-triplet absorption spectra

- Triplet state studies of  $\beta$ -carboline, 29

## Two-photon excitation

- Chemical reactivity of vinyltrimethoxysilane in aerosol particle formation with acrolein under two-photon excitation, 141

## Uranyl ion

- Photoreduction of the uranyl ion in aqueous solution. II. Alcohols in acid solutions, 157

## UV-irradiation

- The influence of polychromatic UV-irradiation on new thiophene copolymers, 207

## Vibrational temperature

- Laser induced fluorescence detection of CF, CF<sub>2</sub> and CF<sub>3</sub> in the infrared multiphoton dissociation of C<sub>3</sub>F<sub>6</sub>, 1

## Vinyltrimethoxysilane

- Chemical reactivity of vinyltrimethoxysilane in aerosol particle formation with acrolein under two-photon excitation, 141

## Wavelength effect

- Photochemical behaviour of 4-chloro-2-methylphenoxyacetic acid.  
Influence of pH and irradiation wavelength, 37

## Wettability

- Effect of repeated photo-illumination on the wettability conversion of titanium dioxide, 129





ELSEVIER

Journal of Photochemistry and Photobiology A: Chemistry 146 (2002) 225–227

Journal of  
Photochemistry  
and  
Photobiology  
A: Chemistry

www.elsevier.com/locate/jphotochem

## Instructions to Authors

### Aims and scope

Papers and Reviews may be concerned with either quantitative or qualitative aspects of photochemistry. Organic, inorganic and coordination systems are all treated. The scope includes the physical chemistry of excited atoms or molecules, studies of electronic energy transfer, quantum yield determinations and kinetic measurements made under stationary or non-stationary conditions, measurements of rate constants for primary or secondary photochemical processes, studies of absorption or emission spectroscopy applied to photochemistry, mechanistic investigations of photochemical reactions based on product analysis or energy transfer studies, identification of the products of photochemical reactions, and studies related to the photochemical conversion and storage of solar energy and to atmospheric photochemistry. Papers relating to Applied Photochemistry are also published. This field includes studies of photoinitiation of polymerization, photo cross linking, photodegradation or photostabilization of polymers, photohalogenation, chemical aspects of photography and the design of photo-reactors.

### Abstracting services

Chemical Abstracts, Current Contents, Engineering Index, Metals Abstracts, PASCAL/CNRS, Physics Abstracts, Physikalische Berichte, Polymer Contents, Research Alert<sup>TM</sup>, Science Citation Index.

### Types of contributions

Original papers not previously published

Reviews

Preliminary notes: will describe work that is not yet completed, but that needs, for some reason, to be published in its preliminary form.

### Submission of contributions

Authors should submit *three* copies of their manuscripts, one complete set of original illustrations and two copies to the Editor-in-Chief. Alternatively, authors in the USA and

Canada may submit their manuscripts to the North American Editor, and authors in Asia may submit their manuscripts to the Asian editor.

#### *Editor-in-Chief*

Professor R.P. Wayne  
University of Oxford  
Physical & Theoretical Chemistry Laboratory  
South Parks Road  
Oxford OX1 3QC  
UK  
Tel: +44 (0) 1865 275434  
Fax: +44 (0) 1865 275410  
e-mail: jphoto@physchem.ox.ac.uk

#### *North American Editor*

Professor R.P. Steer  
University of Saskatchewan  
Department of Chemistry  
Saskatoon  
Saskatchewan, S7N 0W0  
Canada  
Tel: +1 (306) 966 4654  
Fax: +1 (306) 966 4730  
e-mail: steer@sask.usask.ca

#### *Asian Editor*

Professor H. Masuhara  
Professor of Laser Photochemistry & Microchemistry  
Faculty of Engineering  
Department of Applied Physics  
Osaka University  
Yamadaoka 2-1  
Suita, Osaka 565-0871  
Japan  
Tel: +81 6 6879 7837  
Fax: +81 6 6876 8580  
e-mail: masuhara@ap.eng.osaka-u.ac.jp

Contributions are accepted on the understanding that the authors have obtained the necessary authority for publication. Submission of an article *must* be accompanied by a statement that the article is original and unpublished and is not being considered for publication elsewhere. Upon acceptance of an article by the Journal, the author(s) will be asked to transfer the copyright of the article to the publisher. This



transfer will ensure the widest possible dissemination of information.

Authors should supply the final accepted version of their papers on disk to aid rapid processing. Authors are reminded that delays in publication may occur if the instructions for submission and disk and manuscript preparation are not strictly followed. To facilitate communication, authors are requested to provide their current e-mail address, phone and fax number.

*There are no page charges.*

### **Preparation of manuscripts on disk**

Articles prepared using any of the more popular word-processing packages are acceptable but please note the following points.

Save your files using the default extension of the program used. Please do not send ASCII files (.txt) as relevant data may be lost.

Always keep a backup copy of the electronic file for reference and safety.

Label storage media with your name, journal title, and software used.

No changes to the accepted version are permissible without the explicit approval of the Editor.

Electronic files can be stored on 3.5 inch diskette, ZIP-disk or CD (either MS-DOS or Macintosh).

The electronic file(s) must always be accompanied by a hard-copy version of the final accepted article, and their content must be identical.

Although most popular word processor file formats are acceptable, we cannot guarantee the usability of all formats. If the disk you send us proves to be unusable, we will publish your article from the hardcopy.

There is no need to spend time formatting your article so that the printout is visually attractive (e.g. by making headings bold or creating a page layout with figures), as most formatting instructions will be removed upon processing.

Leave a blank line between each paragraph and between each entry in the list of bibliographic references. Tables should preferably be placed in the same electronic file as the text. Authors should consult a recent issue of the Journal for table layout.

### **Graphics**

#### *General*

Although there are still a large number of technical difficulties to overcome, we are processing graphic files in a growing number of cases. Both scanned and computer-generated illustrations, either in colour or black and white are acceptable. Computer-generated graphics should be produced in greyscale if they are to be published in black

and white. For more information, please consult our web site: <http://www.elsevier.com/locate/authorartwork>

#### *Colour illustrations*

Illustrations can be printed in colour when they are judged by the Editor to be essential to the presentation. The author will be invoiced for the extra costs involved. Further information concerning colour illustrations and costs is available from the Publisher: [authorsupport@elsevier.ie](mailto:authorsupport@elsevier.ie)

#### *Requirements*

The following requirements are to be met:

Hard copy in all cases. Since we cannot a priori guarantee the usability of your graphic file(s), hard copies of all illustrations should accompany the accepted printout of the manuscript in all cases. One set should be in a publishable condition.

*Format:* TIFF, JPEG or EPS files are preferred. TIFF files should preferably be compressed, but only LZW (Macintosh) compression is acceptable. Please note that corrections in EPS figures are only possible if they have been prepared with Adobe Illustrator 3.0 or higher versions. The usability of other formats is to a large extent dependent on the information you supply us with concerning the soft- and hardware used. It is a good idea to put the relevant information in the header of the file.

*Resolution:* Drawings made with Adobe Illustrator and Aldus Freehand (Macintosh) and CorelDraw (IBM/DOS) generally give good results. Drawings made in WordPerfect or Word generally have a too low resolution; only if made at a much higher resolution (1016 dpi) can they be used. Files of scanned line drawings are acceptable if done at a minimum of 1016 dpi. For scanned half tone figures a resolution of 300 dpi is sufficient. Scanned figures compressed with JPEG usually give no problems. Please note that scanned figures cannot be enlarged, only reduced.

### **Manuscript preparation**

#### **Language**

Papers will be published in English. Authors' manuscripts must be consistent in style, spelling and syntax. Authors in Japan please note that information about how to have the English of your paper checked, corrected and improved (*before submission*) is available from:

Elsevier Science Japan

Higashi Azabu 1-chome Building 4F

1-9-5 Higashi Azabu, Minato-ku

Tokyo 106-0044

Japan

Tel.: + 81 (03) 5561 5032

Fax: +81 (03) 5561 5045

**Estimation of length**

For a rough estimate of the final length of their printed article, authors should count 850 words per full two-column page and four illustrations per page.

**Keywords**

A maximum of six keywords should be indicated below the abstract to describe the contents of the manuscript. Keywords should be selected, if appropriate, from the following classes: theoretical methods, experimental methods, phenomena, materials, and applications. A recommended list of current keywords used in the Journal is published regularly. This list may also be obtained from the Editor or publisher.

**Further information**

All questions arising after acceptance of a paper, especially those concerning proofs, should be directed to: Elsevier Science Ireland Limited, Elsevier House, Brookvale Plaza, East Park, Shannon, County Clare, Ireland.

Tel.: +353 (61) 709600

Fax: +353 (61) 709100

E-mail: [postmaster@elsevier.ie](mailto:postmaster@elsevier.ie)

When your paper is taken into production you will receive a letter with the details necessary to check the progress of your paper online at <http://authors.elsevier.com>

**Proofs**

Authors will receive proofs, which they are requested to correct and return as soon as possible. No new material may be inserted in the text at the time of proof-reading. A Note added in proof must be dated and the author must have requested and received the Editor's approval.

**Offprints**

Fifty offprints are supplied to authors free of charge. Additional offprints may be ordered at prices shown on the offprint order form which will accompany the proofs. This order form should be returned promptly since the price of offprints ordered *after* publication is substantially higher.



Digitized by the Internet Archive  
in 2023 with funding from  
Kahle/Austin Foundation



# Guide for Authors

## Submission of Papers

Authors are requested to submit their manuscripts to

### Editor-in-Chief: Professor R.P. Wayne

Physical and Theoretical Chemistry Laboratory  
South Parks Road  
Oxford OX1 3QZ  
UK

FAX: +44 (1865) 275410

E-MAIL: [jphoto@physchem.ox.ac.uk](mailto:jphoto@physchem.ox.ac.uk)

Authors in the USA and Canada may submit their manuscripts to the North American Editor:

### Professor R.P. Steer

Thorvaldson Building  
University of Saskatchewan  
110 Science Place  
Saskatoon, SK  
Canada S7N 5C9  
FAX: +1 (306) 966 4730  
E-MAIL: [steer@sask.usask.ca](mailto:steer@sask.usask.ca)

Authors in Asia should submit their manuscripts to the Asian Editor:

### Professor H. Masuhara

Faculty of Engineering  
Department of Applied Physics  
Osaka University  
Yamadaoka 2-1  
Suita, Osaka 565-0871  
Japan  
FAX: +81 6 6876 8580  
E-MAIL: [masuhara@ap.eng.osaka-u.ac.jp](mailto:masuhara@ap.eng.osaka-u.ac.jp)

The full postal address, fax and telephone numbers, and e-mail address of the corresponding author must be given on the first (title) page of the manuscript.

Contributions are accepted on the understanding that authors have obtained the necessary authority for publication. Submission of an article is understood to imply that the article is original and unpublished and is not being considered for publication elsewhere. Upon acceptance of an article by the journal, the author(s) will be asked to transfer the copyright of the article to the publisher. This transfer will ensure the widest possible dissemination of information.

## Language

Papers will be published in English.

Authors in Japan please note that information about how to have the English of your paper checked, corrected and improved (*before submission*) is available from: Elsevier Science Japan, Editorial Service, 1-9-15 Higashi Azabu, Minato-ku, Tokyo 106-0044, Japan; Tel.: +81-3-5561-5032; Fax: +81-3-5561-5045; E-mail: [info@elsevier.co.jp](mailto:info@elsevier.co.jp)

## Manuscript Preparation

Three copies of the manuscript should be submitted, in double-spaced typing on pages of uniform size with a wide margin on the left. Some flexibility of presentation will be allowed but authors are urged to arrange the subject matter clearly under headings such as Introduction, Experimental details, Results, Discussion, etc. References should be numbered consecutively (numerals in square brackets) throughout the text and collected together in a reference list at the end of the paper. Journal titles should be abbreviated according to the Chemical Abstracts Service Source Index, 1970 edition, and supplements. The abbreviated title should be followed by volume number, year (in parentheses) and page number. Authors are reminded that delays in publication may occur if the instructions for submission and disk and manuscript preparation are not strictly followed. Authors are strongly recommended to submit disks to aid rapid processing. To facilitate communication, authors are requested to provide their current e-mail address, phone and fax number.

## Illustrations

Line drawings and cyclic or aromatic formulae should be in a form suitable for reproduction, drawn in Indian ink on drawing paper. They should preferably all require the same degree of reduction, and should be submitted on paper of the same size as, or smaller than, the main text to prevent damage in transit. Photographs should be submitted as clear black-and-white prints on glossy paper. Each illustration must be clearly numbered. "Quantity calculus" notation should be used for the labelling of the graph axes. Legends to the illustrations must be submitted in a separate list. All tables and illustrations should be numbered consecutively and separately throughout the paper.

## Offprints

Fifty offprints are provided free of charge to the corresponding author. Extra offprints can be ordered at prices shown on the offprint order form.

## Further Information

All questions arising after acceptance of a paper, especially those concerning proofs, should be directed to Elsevier Science Ireland, Elsevier House, Brookvale Plaza, East Park, Shannon, Co. Clare, Ireland (Tel.: +353 (61) 709600; Fax: +353 (61) 709111; E-mail: [postmaster@elsevier.ie](mailto:postmaster@elsevier.ie)). The full and complete Instructions to Authors can be found on the World Wide Web: access under <http://www.elsevier.com>.

Choose from broad collections of primary journal literature and powerful secondary databases, all deliverable via the Internet or your local Intranet—building blocks for the digital library you need.



## For the Digital Library You Want

ScienceDirect offers desktop access to over 1 million articles published in nearly 1,200 journals spanning 16 fields of science and provides researchers with some 2 million bibliographic citations and abstracts. Access may also be provided to an additional 30 million abstracts via ScienceDirect's secondary databases.

### Unprecedented content, navigability and customization options

Whether you choose the breadth of the ScienceDirect multi-publisher platform or one of our discipline or industry-focused solutions, you'll be providing your institution with a dynamic, efficient and integrated solution to access the world's critical STM literature.

- ScienceDirect Online
- ScienceDirect OnSite
- ScienceDirect Web editions
- ScienceDirect Gateway
- ScienceDirect Bibliographic Database Collection
- ScienceDirect Industry Solutions: Pharmaceutical
- ADONIS®
- ScienceServer®

**[www.sciencedirect.com](http://www.sciencedirect.com)**

NEW YORK  
+1 212 633 3809  
[usinfo@sciencedirect.com](mailto:usinfo@sciencedirect.com)

AMSTERDAM  
+31 20 485 3767  
[nlinfo@sciencedirect.com](mailto:nlinfo@sciencedirect.com)

SINGAPORE  
+65 434 3716  
[sginfo@sciencedirect.com](mailto:sginfo@sciencedirect.com)

TOKYO  
+81 3 5561 5035  
[jpinfo@sciencedirect.com](mailto:jpinfo@sciencedirect.com)

RIO DE JANEIRO  
+55 21 509 5340  
[brinfo@sciencedirect.com](mailto:brinfo@sciencedirect.com)



1010-6030(20020128)146:3;1-T